







**PODSUMOWANIE ŚREDNICAMI**

B500SP	D6	D8	D10	D12	D14	D16	D18	D20	D25	D28	D32	D40
3497	0	0	815	1509	0	285	0	594	294	0	0	0

POZYCJA	<b>TA-P1/6</b>																			
ILOŚĆ	1																			
MATERIAŁ	C30/37																			
MASA STALI	1711.58 / 1711.58 [kg]																			
SERIA	NR	NAZWA	SZT.	KLASA	φ	L	kg	KOD	A	B	C	D	E	F	G	S	T	U	V	R
<b>ZESTAWIENIE ZBROJENIA TARCZA</b>																				
TA-P1	9		24	B500SP	10	1343	20.0	4	640	110	640							90		20
TA-P1	43		48	B500SP	10	11710	348.5	1	####											
TA-P1	50		54	B500SP	12	1621	77.9	4	768	140	768							90		24
TA-P1	66		108	B500SP	12	5040	484.4	1	5040											
TA-P1	70		12	B500SP	25	4770	220.4	1	4770											
TA-P1	99		22	B500SP	20	3400	184.8	1	3400											
TA-P1	100		11	B500SP	20	5239	142.4	1	5239											
TA-P1	110		3	B500SP	16	2084	9.9	4	1024	110	1024							90		32
TA-P1	149		6	B500SP	16	1602	15.2	4	768	140	768							90		32
TA-P1	150		6	B500SP	16	11710	111.0	1	####											
<b>ZESTAWIENIE STARTERÓW</b>																				
TA-P1	47	PIO_STA	54	B500SP	12	2021	97.1	4	968	140	968							90		24
<b>PODSUMOWANIE ŚREDNICAMI</b>																				
B500SP	D6	D8	D10	D12	D14	D16	D18	D20	D25	D28	D32	D40								
1712	0	0	368	660	0	136	0	327	220	0	0	0								

POZYCJA	<b>TA-P1/8</b>																			
ILOŚĆ	1																			
MATERIAŁ	C30/37																			
MASA STALI	994.06 / 994.06 [kg]																			
SERIA	NR	NAZWA	SZT.	KLASA	φ	L	kg	KOD	A	B	C	D	E	F	G	S	T	U	V	R
<b>ZESTAWIENIE ZBROJENIA TARCZA</b>																				
TA-P1	9		54	B500SP	10	1343	45.0	4	640	110	640							90		20
TA-P1	29		34	B500SP	10	5820	122.7	1	5820											
TA-P1	30		20	B500SP	10	8640	107.1	1	8640											
TA-P1	31		30	B500SP	10	6090	113.3	1	6090											
TA-P1	46		34	B500SP	12	6090	184.3	1	6090											
TA-P1	50		13	B500SP	12	1621	18.8	4	768	140	768							90		24
TA-P1	54		26	B500SP	12	2860	66.2	1	2860											
TA-P1	86		5	B500SP	20	8640	106.7	1	8640											
TA-P1	105		13	B500SP	8	1096	5.7	14	106	350	140	350	140	106				90		16
TA-P1	110		6	B500SP	16	2084	19.8	4	1024	110	1024							90		32
TA-P1	118		2	B500SP	16	6090	19.2	1	6090											
TA-P1	132		6	B500SP	16	8640	81.9	1	8640											
TA-P1	133		2	B500SP	16	9187	29.0	27	301	8659	301									32
<b>DOZBROJENIE OTWORÓW</b>																				
TA-P1	48	OTW_SK	8	B500SP	12	1000	7.1	1	1000											
TA-P1	85	OTW_G	2	B500SP	20	5215	25.8	2_2	4047	1226									90	70
<b>ZESTAWIENIE STARTERÓW</b>																				
TA-P1	53	PIO_STA	17	B500SP	12	2441	36.9	4	1178	140	1178								90	24
TA-P1	137	PIO_STA	1	B500SP	16	2902	4.6	4	1418	140	1418								90	32
<b>PODSUMOWANIE ŚREDNICAMI</b>																				
B500SP	D6	D8	D10	D12	D14	D16	D18	D20	D25	D28	D32	D40								
994	0	6	388	313	0	155	0	132	0	0	0	0								

POZYCJA	<b>TA-P1/9</b>																			
ILOŚĆ	1																			
MATERIAŁ	C30/37																			
MASA STALI	6911.63 / 6911.63 [kg]																			
SERIA	NR	NAZWA	SZT.	KLASA	φ	L	kg	KOD	A	B	C	D	E	F	G	S	T	U	V	R
<b>ZESTAWIENIE ZBROJENIA TARCZA</b>																				

TA-P1	5		198	B500SP	10	12000	1473.1	1	####											
TA-P1	6		132	B500SP	10	7600	622.0	1	7600											
TA-P1	46		438	B500SP	12	6090	2374.0	1	6090											
TA-P1	71		54	B500SP	20	6090	812.3	1	6090											
TA-P1	72		54	B500SP	20	1792	239.0	2_2	1011	838								90		70
TA-P1	73		10	B500SP	20	8880	219.3	1	8880											
TA-P1	83		15	B500SP	20	12000	444.6	1	####											
TA-P1	107		12	B500SP	16	12000	227.5	1	####											
TA-P1	108		8	B500SP	16	8368	105.8	1	8368											
<b>ZESTAWIENIE STARTERÓW</b>																				
TA-P1	47	PIO_STA	219	B500SP	12	2021	394.0	4	968	140	968							90		24
<b>PODSUMOWANIE ŚREDNICAMI</b>																				
B500SP	<b>D6</b>	<b>D8</b>	<b>D10</b>	<b>D12</b>	<b>D14</b>	<b>D16</b>	<b>D18</b>	<b>D20</b>	<b>D25</b>	<b>D28</b>	<b>D32</b>	<b>D40</b>								
6912	0	0	2095	2768	0	333	0	1715	0	0	0	0								

POZYCJA	<b>TA-P1/10</b>																			
ILOŚĆ	1																			
MATERIAŁ	C30/37																			
MASA STALI	2632.23 / 2632.23 [kg]																			
<b>SERIA</b>	<b>NR</b>	<b>NAZWA</b>	<b>SZT.</b>	<b>KLASA</b>	<b>φ</b>	<b>L</b>	<b>kg</b>	<b>KOD</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>S</b>	<b>T</b>	<b>U</b>	<b>V</b>	<b>R</b>
<b>ZESTAWIENIE ZBROJENIA TARCZA</b>																				
TA-P1	7		30	B500SP	10	1940	36.1	1	1940											
TA-P1	9		156	B500SP	10	1343	130.0	4	640	110	640							90		20
TA-P1	15		17	B500SP	10	2798	29.5	14	102	1245	110	1245	110	102				90		20
TA-P1	16		62	B500SP	10	2340	89.9	1	2340											
TA-P1	17		34	B500SP	10	5905	124.5	1	5905											
TA-P1	18		32	B500SP	10	2940	58.3	1	2940											
TA-P1	19		16	B500SP	10	1138	11.3	14	102	415	110	415	110	102				90		20
TA-P1	20		30	B500SP	10	5900	109.7	1	5900											
TA-P1	22		28	B500SP	10	2645	45.9	1	2645											
TA-P1	46		92	B500SP	12	6090	498.6	1	6090											
TA-P1	49		14	B500SP	12	2910	36.3	1	2910											
TA-P1	50		7	B500SP	12	1621	10.1	4	768	140	768							90		24
TA-P1	51		18	B500SP	12	3120	50.0	1	3120											
TA-P1	69		12	B500SP	25	5820	268.9	1	5820											
TA-P1	75		8	B500SP	20	1295	25.6	1	1295											
TA-P1	76		8	B500SP	20	885	17.5	1	885											
TA-P1	77		8	B500SP	20	2390	47.2	1	2390											
TA-P1	78		8	B500SP	20	2290	45.3	1	2290											
TA-P1	79		13	B500SP	20	3455	110.9	1	3455											
TA-P1	80		5	B500SP	20	2590	32.0	1	2590											
TA-P1	81		5	B500SP	20	7645	94.4	1	7645											
TA-P1	104		13	B500SP	8	676	3.5	14	106	140	140	140	140	106				90		16
TA-P1	110		3	B500SP	16	2084	9.9	4	1024	110	1024							90		32
TA-P1	118		28	B500SP	16	6090	269.4	1	6090											
TA-P1	119		6	B500SP	16	10000	94.8	1	####											
TA-P1	120		12	B500SP	16	3029	57.4	1	3029											
TA-P1	126		4	B500SP	16	1766	11.2	4	850	140	850							90		32
TA-P1	127		12	B500SP	16	1846	35.0	4	890	140	890							90		32
TA-P1	128		4	B500SP	16	846	5.3	4	390	140	390							90		32
TA-P1	151		12	B500SP	12	1945	20.8	4	930	140	930							90		24

<b>DOZBROJENIE OTWORÓW</b>																				
TA-P1	48	OTW_SK	48	B500SP	12	1000	42.7	1	1000											
TA-P1	116	OTW_G	2	B500SP	16	2388	7.5	2_1	1774	651								90		32
TA-P1	121	OTW_G	2	B500SP	16	2728	8.6	27	451	1900	451									32
TA-P1	122	OTW_G	2	B500SP	16	2448	7.7	1	2448											
TA-P1	123	OTW_G	2	B500SP	16	2324	7.3	1	2324											
TA-P1	124	OTW_G	2	B500SP	16	2264	7.2	2_1	1650	651								90		32
TA-P1	125	OTW_G	2	B500SP	16	2428	7.7	27	651	1200	651									32

<b>ZESTAWIENIE STARTERÓW</b>																				
TA-P1	47	PIO_STA	55	B500SP	12	2021	98.9	4	968	140	968							90		24
TA-P1	52	PIO_STA	9	B500SP	12	1221	9.8	4	568	140	568							90		24
TA-P1	115	PIO_STA	14	B500SP	16	2502	55.3	4	1218	140	1218							90		32
<b>PODSUMOWANIE ŚREDNICAMI</b>																				
B500SP	<b>D6</b>	<b>D8</b>	<b>D10</b>	<b>D12</b>	<b>D14</b>	<b>D16</b>	<b>D18</b>	<b>D20</b>	<b>D25</b>	<b>D28</b>	<b>D32</b>	<b>D40</b>								
2632	0	4	635	767	0	584	0	373	269	0	0	0								

POZYCJA	<b>TA-P1/11</b>																		
---------	-----------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

ILOŚĆ	1																			
MATERIAŁ	C30/37																			
MASA STALI	3049.32 / 3049.32 [kg]																			
SERIA	NR	NAZWA	SZT.	KLASA	φ	L	kg	KOD	A	B	C	D	E	F	G	S	T	U	V	R
<b>ZESTAWIENIE ZBROJENIA BELKA</b>																				
<b>ZESTAWIENIE STARTERÓW</b>																				
TA-P1	106	PIO_STA	98	B500SP	8	1319	51.7	48	71	330	290	330	290	71						16
<b>PODSUMOWANIE ŚREDNICAMI</b>																				
B500SP	D6	D8	D10	D12	D14	D16	D18	D20	D25	D28	D32	D40								
52	0	52	0	0	0	0	0	0	0	0	0	0								
<b>ZESTAWIENIE ZBROJENIA TARCZA</b>																				
TA-P1	5		20	B500SP	10	12000	148.8	1	####											
TA-P1	9		199	B500SP	10	1343	165.8	4	640	110	640							90		20
TA-P1	35		40	B500SP	10	4794	118.9	1	4794											
TA-P1	36		34	B500SP	10	3553	74.9	1	3553											
TA-P1	37		34	B500SP	10	1840	38.8	1	1840											
TA-P1	38		17	B500SP	10	1256	13.2	19	110	553	110	553								20
TA-P1	39		34	B500SP	10	2927	61.7	1	2927											
TA-P1	40		34	B500SP	10	1740	36.7	1	1740											
TA-P1	41		34	B500SP	10	1927	40.6	1	1927											
TA-P1	44		30	B500SP	10	4209	78.3	1	4209											
TA-P1	45		4	B500SP	10	3409	8.5	1	3409											
TA-P1	46		122	B500SP	12	6090	661.3	1	6090											
TA-P1	50		16	B500SP	12	1621	23.1	4	768	140	768						90			24
TA-P1	58		32	B500SP	12	2935	83.6	1	2935											
TA-P1	59		16	B500SP	12	1539	21.9	14	158	540	140	540	140	158			90			24
TA-P1	60		4	B500SP	12	11200	39.9	1	####											
TA-P1	61		1	B500SP	12	3834	3.4	1	3834											
TA-P1	62		5	B500SP	12	5434	24.2	1	5434											
TA-P1	63		1	B500SP	12	10720	9.5	1	####											
TA-P1	64		1	B500SP	12	4304	3.8	1	4304											
TA-P1	65		26	B500SP	12	5420	125.4	1	5420											
TA-P1	67		1	B500SP	12	3820	3.4	1	3820											
TA-P1	68		2	B500SP	12	4634	8.2	1	4634											
TA-P1	83		2	B500SP	20	12000	59.3	1	####											
TA-P1	91		2	B500SP	20	5839	28.8	2_2	5384	513							90			70
TA-P1	92		2	B500SP	20	5089	25.1	2_2	4634	513							90			70
TA-P1	107		13	B500SP	16	12000	246.5	1	####											
TA-P1	110		3	B500SP	16	2084	9.9	4	1024	110	1024						90			32
TA-P1	118		28	B500SP	16	6090	269.4	1	6090											
TA-P1	138		12	B500SP	16	5178	98.2	1	5178											
TA-P1	142		5	B500SP	16	5354	42.3	1	5354											
TA-P1	143		3	B500SP	16	5434	25.8	1	5434											
TA-P1	144		2	B500SP	16	4634	14.6	1	4634											
TA-P1	145		2	B500SP	16	5588	17.7	2_1	5354	271							90			32
TA-P1	146		2	B500SP	16	4868	15.4	2_1	4634	271							90			32
<b>DOZBROJENIE OTWORÓW</b>																				
TA-P1	48	OTW_SK	48	B500SP	12	1000	42.7	1	1000											
TA-P1	122	OTW_G	2	B500SP	16	2448	7.7	1	2448											
TA-P1	139	OTW_G	2	B500SP	16	5048	16.0	1	5048											
TA-P1	140	OTW_G	2	B500SP	16	6248	19.7	1	6248											
<b>ZESTAWIENIE STARTERÓW</b>																				
TA-P1	57	PIO_STA	75	B500SP	12	2821	188.3	4	1368	140	1368							90		24
TA-P1	141	PIO_STA	4	B500SP	16	3802	24.0	4	1868	140	1868							90		32
TA-P1	147	PIO_STA	10	B500SP	16	3302	52.2	4	1618	140	1618							90		32
<b>PODSUMOWANIE ŚREDNICAMI</b>																				
B500SP	D6	D8	D10	D12	D14	D16	D18	D20	D25	D28	D32	D40								
2998	0	0	786	1239	0	859	0	113	0	0	0	0								

POZYCJA	TA-P1/12																			
ILOŚĆ	1																			
MATERIAŁ	C30/37																			
MASA STALI	1531.77 / 1531.77 [kg]																			
SERIA	NR	NAZWA	SZT.	KLASA	φ	L	kg	KOD	A	B	C	D	E	F	G	S	T	U	V	R
<b>ZESTAWIENIE ZBROJENIA TARCZA</b>																				

TA-P1	9		152	B500SP	10	1343	126.6	4	640	110	640							90		20
TA-P1	16		34	B500SP	10	2340	49.3	1	2340											
TA-P1	23		20	B500SP	10	2590	32.1	1	2590											
TA-P1	24		17	B500SP	10	1693	17.9	4	815	110	815							90		20
TA-P1	25		34	B500SP	10	2140	45.1	1	2140											
TA-P1	26		34	B500SP	10	3165	66.7	1	3165											
TA-P1	27		20	B500SP	10	3965	49.2	1	3965											
TA-P1	28		20	B500SP	10	3140	38.9	1	3140											
TA-P1	46		64	B500SP	12	6090	346.9	1	6090											
TA-P1	49		18	B500SP	12	2910	46.6	1	2910											
TA-P1	50		9	B500SP	12	1621	13.0	4	768	140	768							90		24
TA-P1	51		12	B500SP	12	3120	33.3	1	3120											
TA-P1	84		5	B500SP	20	10615	131.1	1	####											
TA-P1	104		15	B500SP	8	676	4.1	14	106	140	140	140	140	106				90		16
TA-P1	110		3	B500SP	16	2084	9.9	4	1024	110	1024							90		32
TA-P1	118		22	B500SP	16	6090	211.7	1	6090											
TA-P1	129		6	B500SP	16	10615	100.6	1	####											
TA-P1	151		8	B500SP	12	1945	13.9	4	930	140	930							90		24

#### DOZBROJENIE OTWORÓW

TA-P1	48	OTW_SK	40	B500SP	12	1000	35.6	1	1000											
TA-P1	111	OTW_G	2	B500SP	16	3188	10.1	2_1	2574	651								90		32
TA-P1	116	OTW_G	4	B500SP	16	2388	15.1	2_1	1774	651								90		32
TA-P1	130	OTW_G	2	B500SP	16	2574	8.1	1	2574											
TA-P1	131	OTW_G	2	B500SP	16	2414	7.6	2_1	2100	351								90		32

#### ZESTAWIENIE STARTERÓW

TA-P1	47	PIO_STA	38	B500SP	12	2021	68.4	4	968	140	968							90		24
TA-P1	52	PIO_STA	6	B500SP	12	1221	6.5	4	568	140	568							90		24
TA-P1	115	PIO_STA	11	B500SP	16	2502	43.5	4	1218	140	1218							90		32

#### PODSUMOWANIE ŚREDNICAMI

B500SP	D6	D8	D10	D12	D14	D16	D18	D20	D25	D28	D32	D40
1532	0	4	426	564	0	407	0	131	0	0	0	0

POZYCJA  
ILOŚĆ  
MATERIAŁ  
MASA STALI

TA-P1/13  
1  
C30/37  
690.39 / 690.39 [kg]

SERIA	NR	NAZWA	SZT.	KLASA	φ	L	kg	KOD	A	B	C	D	E	F	G	S	T	U	V	R
-------	----	-------	------	-------	---	---	----	-----	---	---	---	---	---	---	---	---	---	---	---	---

#### ZESTAWIENIE ZBROJENIA TARCZA

TA-P1	9		56	B500SP	10	1343	46.7	4	640	110	640							90		20
TA-P1	32		26	B500SP	10	4520	72.9	1	4520											
TA-P1	33		15	B500SP	10	2238	20.8	14	102	965	110	965	110	102				90		20
TA-P1	34		30	B500SP	10	2295	42.7	1	2295											
TA-P1	50		7	B500SP	12	1621	10.1	4	768	140	768							90		24
TA-P1	54		14	B500SP	12	2860	35.6	1	2860											
TA-P1	55		32	B500SP	12	6300	179.4	1	6300											
TA-P1	56		7	B500SP	12	1519	9.5	14	158	530	140	530	140	158				90		24
TA-P1	88		4	B500SP	20	6298	62.2	1	6298											
TA-P1	89		4	B500SP	20	2192	21.7	2_2	1411	838								90		70
TA-P1	90		5	B500SP	20	4520	55.8	1	4520											
TA-P1	110		6	B500SP	16	2084	19.8	4	1024	110	1024							90		32
TA-P1	134		6	B500SP	16	4520	42.8	1	4520											

#### DOZBROJENIE OTWORÓW

TA-P1	87	OTW_G	2	B500SP	20	3795	18.7	2_2	3452	401								90		70
TA-P1	135	OTW_D	2	B500SP	16	3248	10.3	1	3248											
TA-P1	136	OTW_SK	8	B500SP	16	1000	12.6	1	1000											

#### ZESTAWIENIE STARTERÓW

TA-P1	47	PIO_STA	16	B500SP	12	2021	28.8	4	968	140	968							90		24
-------	----	---------	----	--------	----	------	------	---	-----	-----	-----	--	--	--	--	--	--	----	--	----

#### PODSUMOWANIE ŚREDNICAMI

B500SP	D6	D8	D10	D12	D14	D16	D18	D20	D25	D28	D32	D40
690	0	0	183	263	0	86	0	158	0	0	0	0

#### PODSUMOWANIE ŚREDNICAMI

B500SP	D6	D8	D10	D12	D14	D16	D18	D20	D25	D28	D32	D40
--------	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

24081	0	80	6452	9195	0	3773	0	3797	783	0	0	0
MASA CAŁK. <b>24081</b> kg												