

WYKAZ STALI ZBROJENIOWEJ nr 1 do rys. 6/K

| Rodzaj i liczba prętów zbrojenia | | | | | | | | | | | | | |
|--|--------|-----------|--------------------------|---------|---------|-----------------------|---------------|----------------|---------|---------|---------|---------|------|
| Nazwa | Liczba | Nr. pręta | Rodzaj średnica pręta mm | Gatunek | długość | Liczba w 1 elem. szt. | Liczba ogólna | Długość łączna | | | | | |
| | | | | | | | | B 500 | | | | | |
| | szt. | | | | Ř 6 m | Ř 8 m | Ř 10 m | Ř 12 m | Ř 16 m | Ř 20 m | | | |
| SF-1 | 6 | 1 | 16 | B 500 | 2,84 | 44 | 264 | | | | | 749,76 | |
| SF-2 | 8 | 1 | 16 | B 500 | 1,94 | 58 | 464 | | | | | 900,16 | |
| | | 2 | 16 | B 500 | 2,84 | 44 | 352 | | | | | 999,68 | |
| Ł-1 | 6 | 1 | 12 | B 500 | 3,63 | 4 | 24 | | | | | 87,12 | |
| | | 3 | 12 | B 500 | 1,54 | 19 | 114 | | | | | 175,56 | |
| | | 4 | 8 | B 500 | 3,63 | 4 | 24 | | 87,12 | | | | |
| | | 5 | 6 | B 500 | 0,34 | 21 | 126 | 42,84 | | | | | |
| Ł-2 | 8 | 1 | 12 | B 500 | 3,63 | 8 | 64 | | | | | 232,32 | |
| | | 3 | 12 | B 500 | 2,84 | 38 | 304 | | | | | 863,36 | |
| | | 4 | 8 | B 500 | 3,63 | 16 | 96 | | 348,48 | | | | |
| SC-1 | 1 | 1 | 10 | B 500 | 2,92 | 404 | 404 | | | | 1179,68 | | |
| | | 2 | 12 | B 500 | 252,00 | 1 | 1 | | | | | 252,00 | |
| | | 3 | 8 | B 500 | 1189,00 | 1 | 1 | | 1189,00 | | | | |
| | | 4 | 8 | B 500 | 0,72 | 404 | 404 | | 290,88 | | | | |
| | | 5 | 6 | B 500 | 0,34 | 472 | 472 | 160,48 | | | | | |
| SC-2 | 1 | 1 | 10 | B 500 | 1,46 | 404 | 404 | | | | 589,84 | | |
| | | 2 | 12 | B 500 | 252,00 | 1 | 1 | | | | | 252,00 | |
| | | 3 | 8 | B 500 | 2718,00 | 1 | 1 | | 2718,00 | | | | |
| | | 4 | 10 | B 500 | 3,18 | 808 | 808 | | | | 2569,44 | | |
| | | 5 | 8 | B 500 | 0,72 | 404 | 404 | | 290,88 | | | | |
| | | 6 | 6 | B 500 | 0,34 | 1048 | 1048 | 356,32 | | | | | |
| ZBROJENIE NAROŻY DETAL D1 | 1 | 100 | 8 | B 500 | 1,60 | 1081 | 1081 | | 1729,60 | | | | |
| | 1 | 7 | 8 | B 500 | 1,19 | 12 | 12 | | | | 14,28 | | |
| | | 8 | 8 | B 500 | 1,34 | 12 | 12 | | | | 16,08 | | |
| | | | | 20 | B 500 | 0,41 | 6 | 6 | | | | | |
| Razem m | | | | | | | | 559,64 | 6684,32 | 4338,96 | 1862,36 | 2649,60 | 2,46 |
| Ciężar 1 mb. kg/m | | | | | | | | 0,222 | 0,395 | 0,617 | 0,888 | 1,58 | 2,47 |
| Ciężar łączny kg | | | | | | | | 124,2 | 2640,3 | 2677,1 | 1653,8 | 4186,4 | 6,1 |
| Razem stali B 240 (A I - St 3 S) kg | | | | | | | | | | | | | |
| Razem stali B 500 (A - IIIN -RB500W -Bst500S) kg | | | | | | | | 11287,9 | | | | | |
| Ogółem kg | | | | | | | | 11287,9 | | | | | |

WYKAZ STALI ZBROJENIOWEJ nr 2 do rys. 9,10/K

| Rodzaj i liczba prętów zbrojenia | | | | | | | | | |
|--|--------|-----------|----------------|-----------|---------|-----------|---------------|----------------|--------|
| Nazwa | Liczba | Nr. pręta | Rodzaj | Gatu- nek | dlugość | Liczba | Liczba ogólna | Długość łączna | |
| | | | średnica pręta | | mm | w 1 elem. | | szt. | szt. |
| | szt. | szt. | m | szt. | m | szt. | Ř 6 | Ř 8 | |
| | | | | | | | m | m | |
| DZ-1L, DZ-1P | 2 | | | | | | | | |
| | | 1 | 16 | B 500 | 7,39 | 8 | 16 | | |
| | | 2 | 16 | B 500 | 10,22 | 4 | 8 | | |
| | | 3 | 16 | B 500 | 4,60 | 4 | 8 | | |
| | | 4 | 10 | B 500 | 6,86 | 2 | 4 | | |
| | | 5 | 8 | B 500 | 1,82 | 94 | 188 | | 342,16 |
| | | 6 | 10 | B 500 | 2,14 | 21 | 42 | | |
| | | 7a | 10 | B 500 | 1,43 | 12 | 24 | | |
| | | 7b | 10 | B 500 | 2,02 | 10 | 20 | | |
| | | 7c | 10 | B 500 | 2,63 | 10 | 20 | | |
| | | 7d | 10 | B 500 | 3,22 | 8 | 16 | | |
| | | 8 | 10 | B 500 | 1,54 | 36 | 72 | | |
| | | 9 | 10 | B 500 | 2,35 | 16 | 32 | | |
| | | 10 | 12 | B 500 | 10,00 | 16 | 32 | | |
| | | 11 | 10 | B 500 | 4,55 | 39 | 78 | | |
| | | 12a | 8 | B 500 | 3,61 | 16 | 32 | | 115,52 |
| | | 12b | 8 | B 500 | 2,50 | 4 | 8 | | 20,00 |
| | | 12c | 8 | B 500 | 1,55 | 4 | 8 | | 12,40 |
| | | 13 | 16 | B 500 | 3,25 | 8 | 16 | | |
| | | 14 | 10 | B 500 | 3,78 | 16 | 32 | | |
| | | 15 | 8 | B 500 | 0,69 | 16 | 32 | | 22,08 |
| | | 16 | 8 | B 500 | 1,97 | 32 | 64 | | 126,08 |
| | | 23 | 20 | B 500 | 2,40 | 10 | 20 | | |
| | | 25 | 20 | B 500 | 5,62 | 5 | 10 | | |
| | | 26 | 20 | B 500 | 4,82 | 10 | 20 | | |
| | | 27 | 20 | B 500 | 8,88 | 5 | 10 | | |
| | | 28 | 20 | B 500 | 4,85 | 5 | 10 | | |
| | | 29 | 12 | B 500 | 1,25 | 8 | 16 | | |
| | | 30a | 12 | B 500 | 5,63 | 4 | 8 | | |
| | | 30b | 12 | B 500 | 8,78 | 4 | 8 | | |
| | | 30c | 12 | B 500 | 5,53 | 4 | 8 | | |
| | | 24-A | 8 | B 500 | 2,74 | 11 | 22 | | 60,28 |
| | | 24-B | 8 | B 500 | 1,65 | 22 | 44 | | 72,60 |
| | | 24-K | 8 | B 500 | 1,71 | 65 | 130 | | 222,30 |
| | | 24-C | 8 | B 500 | 2,81 | 4 | 8 | | 22,48 |
| | | 24-D | 8 | B 500 | 1,45 | 8 | 16 | | 23,20 |
| | | 24-E | 8 | B 500 | 3,16 | 12 | 24 | | 75,84 |
| | | 24-F | 8 | B 500 | 1,64 | 24 | 48 | | 78,72 |
| | | 24-G | 8 | B 500 | 3,61 | 11 | 22 | | 79,42 |
| | | 24-H | 8 | B 500 | 1,64 | 22 | 44 | | 72,16 |
| 24-J | 8 | B 500 | 3,68 | 23 | 46 | | 169,28 | | |
| 24-I | 8 | B 500 | 1,90 | 46 | 92 | | 174,80 | | |
| 24-L | 8 | B 500 | 4,04 | 8 | 16 | | 64,64 | | |
| 24-M | 8 | B 500 | 1,93 | 16 | 32 | | 61,76 | | |
| 34 | 8 | B 500 | 0,31 | 80 | 160 | | 49,60 | | |
| 35 | 8 | B 500 | 0,22 | 70 | 140 | | 30,80 | | |
| 33 | 6 | B 500 | 0,58 | 84 | 168 | 97,44 | | | |
| | | | | | | | | | |
| Razem m | | | | | | | 97,44 | 1896,12 | |
| Ciężar 1 mb. kg/m | | | | | | | 0,222 | 0,395 | |
| Ciężar łączny kg | | | | | | | 21,6 | 749,0 | |
| Razem stali B 240 (A I - St 3 S) kg | | | | | | | | | |
| Razem stali B 500 (A - IIIN -RB500W -Bst500S) kg | | | | | | | 3096,3 | | |
| Ogółem kg | | | | | | | 3096,3 | | |

WYKAZ STALI ZBROJENIOWEJ nr 3 do rys. 12,13/K

| Rodzaj i liczba prętów zbrojenia | | | | | | | | | | | | | |
|----------------------------------|--------|-----------|--------------------------|----------|---------|-----------------------|---------------|----------------|---------|---------|--------|---------|--------|
| Nazwa | Liczba | Nr. pręta | Rodzaj średnica pręta mm | Gatu-nek | długość | Liczba w 1 elem. szt. | Liczba ogólna | Długość łączna | | | | | |
| | | | | | | | | B 500 | | | | | |
| | szt. | Ř 6 m | Ř 8 m | Ř 10 m | Ř 12 m | Ř 16 m | Ř 20 m | | | | | | |
| DZ-1 | 20 | 1 | 16 | B 500 | 7,39 | 8 | 160 | | | | | 1182,40 | |
| | | 2 | 16 | B 500 | 10,22 | 4 | 80 | | | | | 817,60 | |
| | | 3 | 16 | B 500 | 4,60 | 4 | 80 | | | | | 368,00 | |
| | | 4 | 10 | B 500 | 6,86 | 2 | 40 | | | 274,40 | | | |
| | | 5 | 8 | B 500 | 1,82 | 94 | 1880 | | 3421,60 | | | | |
| | | 6 | 10 | B 500 | 2,14 | 21 | 420 | | | 898,80 | | | |
| | | 7a | 10 | B 500 | 1,43 | 12 | 240 | | | 343,20 | | | |
| | | 7b | 10 | B 500 | 2,02 | 10 | 200 | | | 404,00 | | | |
| | | 7c | 10 | B 500 | 2,63 | 10 | 200 | | | 526,00 | | | |
| | | 7d | 10 | B 500 | 3,22 | 8 | 160 | | | 515,20 | | | |
| | | 8 | 10 | B 500 | 1,54 | 42 | 840 | | | 1293,60 | | | |
| | | 9 | 10 | B 500 | 2,35 | 16 | 320 | | | 752,00 | | | |
| | | 12a | 8 | B 500 | 3,61 | 16 | 320 | | 1155,20 | | | | |
| | | 12b | 8 | B 500 | 2,50 | 4 | 80 | | 200,00 | | | | |
| | | 12c | 8 | B 500 | 1,55 | 4 | 80 | | 124,00 | | | | |
| | | 23 | 20 | B 500 | 2,40 | 10 | 200 | | | | | | 480,00 |
| | | 25 | 20 | B 500 | 5,62 | 5 | 100 | | | | | | 562,00 |
| | | 26 | 20 | B 500 | 4,82 | 10 | 200 | | | | | | 964,00 |
| | | 27 | 20 | B 500 | 8,88 | 5 | 100 | | | | | | 888,25 |
| | | 28 | 20 | B 500 | 4,85 | 5 | 100 | | | | | | 485,00 |
| | | 29 | 12 | B 500 | 1,25 | 8 | 160 | | | | 200,00 | | |
| | | 30a | 12 | B 500 | 5,63 | 4 | 80 | | | | 450,40 | | |
| | | 30b | 12 | B 500 | 8,78 | 4 | 80 | | | | 702,40 | | |
| | | 30c | 12 | B 500 | 5,53 | 4 | 80 | | | | 442,40 | | |
| | | 24-A | 8 | B 500 | 2,74 | 11 | 220 | | 602,80 | | | | |
| | | 24-B | 8 | B 500 | 1,65 | 22 | 440 | | 726,00 | | | | |
| | | 24-K | 8 | B 500 | 1,71 | 69 | 1380 | | 2359,80 | | | | |
| | | 24-C | 8 | B 500 | 2,81 | 4 | 80 | | 224,80 | | | | |
| | | 24-D | 8 | B 500 | 1,45 | 8 | 160 | | 232,00 | | | | |
| | | 24-E | 8 | B 500 | 3,16 | 12 | 240 | | 758,40 | | | | |
| | | 24-F | 8 | B 500 | 1,64 | 24 | 480 | | 787,20 | | | | |
| | | 24-G | 8 | B 500 | 3,61 | 11 | 220 | | 794,20 | | | | |
| | | 24-H | 8 | B 500 | 1,64 | 22 | 440 | | 721,60 | | | | |
| | | 24-J | 8 | B 500 | 3,68 | 23 | 460 | | 1692,80 | | | | |
| | | 24-I | 8 | B 500 | 1,90 | 46 | 920 | | 1748,00 | | | | |
| | | 24-L | 8 | B 500 | 4,04 | 8 | 160 | | 646,40 | | | | |
| | | 24-M | 8 | B 500 | 1,93 | 16 | 320 | | 617,60 | | | | |
| | | 34 | 8 | B 500 | 0,31 | 80 | 1600 | | 496,00 | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

WYKAZ STALI ZBROJENIOWEJ nr 4 do rys. 16,17,18,20,21/K

| Rodzaj i liczba prętów zbrojenia | | | | | | | | | |
|--|--------|-----------|----------------|-----------|---------|-----------|---------------|----------------|----------|
| Nazwa | Liczba | Nr. pręta | Rodzaj | Gatu- nek | długość | Liczba | Liczba ogólna | Długość łączna | |
| | | | średnica pręta | | | w 1 elem. | | B 500 | |
| | szt. | mm | m | szt. | szt. | m | m | | |
| P-1.2 | 91 | 1 | 8 | B 500 | 5,33 | 24 | 2184 | | 11640,72 |
| | | 2 | 8 | B 500 | 1,77 | 28 | 2548 | | 4509,96 |
| | | 3 | 8 | B 500 | 0,69 | 18 | 1638 | | 1130,22 |
| | | 4 | 8 | B 500 | 1,09 | 28 | 2548 | | 2777,32 |
| | | 5 | 8 | B 500 | 1,42 | 28 | 2548 | | 3618,16 |
| P-1.3 | 13 | 1 | 8 | B 500 | 5,33 | 42 | 546 | | 2910,18 |
| | | 2 | 8 | B 500 | 3,07 | 28 | 364 | | 1117,48 |
| | | 3 | 8 | B 500 | 0,69 | 32 | 416 | | 287,04 |
| | | 4 | 8 | B 500 | 2,39 | 28 | 364 | | 869,96 |
| | | 5 | 8 | B 500 | 1,42 | 28 | 364 | | 516,88 |
| P-2.3 P-2.3D | 8 | 1 | 8 | B 500 | 1,23 | 42 | 336 | | 413,28 |
| | | 2 | 8 | B 500 | 3,07 | 7 | 56 | | 171,92 |
| | | 3 | 8 | B 500 | 0,69 | 32 | 256 | | 176,64 |
| | | 4 | 8 | B 500 | 2,39 | 7 | 56 | | 133,84 |
| | | 5 | 8 | B 500 | 1,42 | 7 | 56 | | 79,52 |
| P-2.2 P-2.2D | 56 | 1 | 8 | B 500 | 1,23 | 24 | 1344 | | 1653,12 |
| | | 2 | 8 | B 500 | 1,77 | 7 | 392 | | 693,84 |
| | | 3 | 8 | B 500 | 0,69 | 18 | 1008 | | 695,52 |
| | | 4 | 8 | B 500 | 1,09 | 7 | 392 | | 427,28 |
| | | 5 | 8 | B 500 | 1,42 | 7 | 392 | | 556,64 |
| PS-1 | 13 | 1 | 8 | B 500 | 2,47 | 70 | 910 | | 2247,70 |
| | | 2 | 8 | B 500 | 5,33 | 34 | 442 | | 2355,86 |
| | | 3 | 8 | B 500 | 0,99 | 106 | 1378 | | 1364,22 |
| PS-2 | 8 | 1 | 8 | B 500 | 1,23 | 34 | 272 | | 334,56 |
| | | 2 | 8 | B 500 | 2,45 | 20 | 160 | | 392,00 |
| | | 3 | 8 | B 500 | 0,69 | 60 | 480 | | 331,20 |
| Razem m | | | | | | | | | 41405,06 |
| Ciężar 1 mb. kg/m | | | | | | | | 0,222 | 0,395 |
| Ciężar łączny kg | | | | | | | | | 16355,0 |
| Razem stali B 240 (A I - St 3 S) kg | | | | | | | | | |
| Razem stali B 500 (A - IIIN -RB500W -Bst500S) kg | | | | | | | | 16355,0 | |
| Ogółem kg | | | | | | | | 16355,0 | |